

**14006**  
**Crystalline-matrix Breccia**  
**12.13 grams**



Figure 1: Photo of 14006. Sample is 3 cm across  
 NASA S71-25296.




Figure 2: Map of Apollo 14 showing location of "contingency sample".

### Introduction

14006 is a greater than 1 cm rock chip sieved from the contingency sample (figure 1). It is a breccia sample of the Fra Mauro type.

Records show that Larry Nyquist was the consortia chief for this rock.

### Petrography

Phinney et al. (1976) described 14006 as a tough, crystalline breccia with 15-20% vugs and vesicles. The matrix is fine-grained with intergrown plagioclase, clinoptyroxene and ilmenite. Carlson and Kramer (1978) note that not all thin sections are alike, and that there is at least some glass. Simonds et al. (1977) found that most clasts in 14006 were mineral clasts (figure 6).


McKay et al. (1972) studied some of the vapor phase deposits in the vugs of 14006.


### Chemistry

14006 has a composition typical of the crystalline-matrix breccias from Apollo 14 (figures 4 and 5).


### Other Studies

Bogard and Nyquist (1972) determined the abundance and isotopic composition of rare gases in 14006. Dran et al. (1972) determined the density of cosmic ray tracks.





*Figure 3: Photo of thin section 14006, 6. 1 cm across.  
NASA S71-403995.*




*Figure 4: Two different types of Apollo 14 breccia.*

### Mineralogical Mode for 14006

Simonds et al 1977


Matrix	77 %
Clasts	
Plagioclase	11
Mafic	7
Breccia	0.5
Granulite	1
Mare basalt	0.5
Felds basalt	1
Pore space	2



*Figure 5: Normalized REE pattern for 14006 compared with KREEP.*

**Table 1. Chemical composition of 14006.**

reference weight	Hubbard72	Hubbard72	Wiesmann75
SiO <sub>2</sub> %	47	(a)	
TiO <sub>2</sub>	1.77	(a)	
Al <sub>2</sub> O <sub>3</sub>	16.4	(a)	
FeO	10.9	(a)	
MnO	0.14	(a)	
MgO	10.7	(a) 10.6	(b)
CaO	10.5	(a) 10.35	(b)
Na <sub>2</sub> O	0.79	(a) 0.68	(b)
K <sub>2</sub> O	0.35	(a) 0.325	(b)
P <sub>2</sub> O <sub>5</sub>	0.75	(a)	
S %	0.11	(a)	
<i>sum</i>			
Sc ppm			
V			
Cr			
Co			
Ni	263	(a)	
Cu			
Zn			
Ga			
Ge ppb			
As			
Se			
Rb	6.5	(a) 6.07	(b)
Sr	191	(a) 180	(b)
Y	276	(a)	
Zr	1376	(a)	
Nb	81	(a)	
Mo			
Ru			
Rh			
Pd ppb			
Ag ppb			
Cd ppb			
In ppb			
Sn ppb			
Sb ppb			
Te ppb			
Cs ppm			
Ba	781	(b)	
La	84.7	(b)	
Ce	214	(b)	
Pr			
Nd	131	(b)	
Sm	36	(b)	
Eu	2.73	(b)	
Gd			
Tb			
Dy	47.1	(b)	
Ho			
Er	28.8	(b)	
Tm			
Yb	25.8	(b)	
Lu			
Hf			
Ta			
W ppb			
Re ppb			
Os ppb			
Ir ppb			
Pt ppb			
Au ppb			
Th ppm	18	(a)	
U ppm		4.07	(b)
technique:	(a) XRF, (b) IDMS		



*Figure 6: Classification of Apollo 14 breccias (Simonds et al. 1977).*

## References for 14006

- Bogard D.D. and Nyquist L.E. (1972) Noble gas studies on regolith materials from Apollo 14 and 15. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 1797-1819.
- Carlson I.C. and Walton W.J.A. (1978) **Apollo 14 Rock Samples**. Curators Office. JSC 14240
- Chao E.C.T., Minkin J.A. and Best J.B. (1972) Apollo 14 breccias: General characteristics and classification. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 645-659.
- Dran J.C., Duraud J.P., Maurette M., Durrieu L., Jouret C. and Legressus C. (1972) Track metamorphism in extraterrestrial breccias. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 2883-2903.
- Hubbard N.J., Gast P.W., Rhodes J.M., Bansal B.M., Wiesmann H. and Church S.E. (1972) Nonmare basalts: Part II. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 1161-1179.
- LSPET (1971) Preliminary examination of lunar samples from Apollo 14. Science 173, 681-693.
- McKay D.S., Clanton U.S., Morrison D.A. and Ladle G.H. (1972) Vapor phase crystallization in Apollo 14 breccia. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 739-752.
- Meyer C., Anderson D.H. and Bradley J.G. (1974) Ion microprobe mass analysis of plagioclase from "non-mare" lunar samples. Proc. 5<sup>th</sup> Lunar Sci. Conf. 685-706.
- Nyquist L.E., Hubbard N.J., Gast P.W., Church S.E., Bansal B.M. and Wiesmann H. (1972) Rb-Sr systematics for chemically defined Apollo 14 breccias. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 1515-1530.
- Phinney W.C., McKay D.S., Simonds C.H. and Warner J.L. (1976a) Lithification of vitric- and elastic-matrix breccias: SEM photography. Proc. 7<sup>th</sup> Lunar Sci. Conf. 2469-2492.
- Quaide W. and Wrigley R. (1972) Mineralogy and origin of Fra Mauro fines and breccias. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 771-784.
- Simonds C.H., Phinney W.C., Warner J.L., McGee P.E., Geeslin J., Brown R.W. and Rhodes J.M. (1977) Apollo 14 revisited, or breccias aren't so bad after all. Proc. 8<sup>th</sup> Lunar Sci. Conf. 1869-1893.
- Stöffler D., Knoll H-D., Reimold W. and Schulien S. (1976) Grain size statistics, composition and provenance of fragmental particles in some Apollo 14 breccias. Proc. 7<sup>th</sup> Lunar Sci. Conf. 1965-1985.
- Stöffler D. and Knoll H-D. (1977) Composition and origin of plagioclase, pyroxene and olivine clasts of lunar breccias 14006, 14063, 14066, 14311, 14320 and 14321. Proc. 8<sup>th</sup> Lunar Sci. Conf. 1849-1867.
- Sutton R.L., Hait M.H. and Swann G.A. (1972) Geology of the Apollo 14 landing site. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 27-38.
- Swann G.A., Trask N.J., Hait M.H. and Sutton R.L. (1971a) Geologic setting of the Apollo 14 samples. Science 173, 716-719.
- Swann G.A., Bailey N.G., Batson R.M., Eggleton R.E., Hait M.H., Holt H.E., Larson K.B., Reed V.S., Schaber G.G., Sutton R.L., Trask N.J., Ulrich G.E. and Wilshire H.G. (1977) Geology of the Apollo 14 landing site in the Fra Mauro Highlands. U.S.G.S. Prof. Paper 880.
- Swann G.A., Bailey N.G., Batson R.M., Eggleton R.E., Hait M.H., Holt H.E., Larson K.B., McEwen M.C., Mitchell E.D., Schaber G.G., Schafer J.P., Shepard A.B., Sutton R.L., Trask N.J., Ulrich G.E., Wilshire H.G. and Wolfe E.W. (1972) 3. Preliminary Geologic Investigation of the Apollo 14 landing site. In Apollo 14 Preliminary Science Rpt. NASA SP-272. pages 39-85.
- von Engelhardt W., Arndt J., Stöffler D. and Schneider H. (1972) Apollo 14 regolith and fragmental rocks, their compositions and origins by impacts. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 753-770.
- Warner J.L. (1972) Metamorphism of Apollo 14 breccias. Proc. 3<sup>rd</sup> Lunar Sci. Conf. 623-643.
- Warren P.H. (1993) A concise compilation of petrologic information on possibly pristine nonmare Moon rocks. Am. Mineral. 78, 360-376.
- Williams R.J. (1972) The lithification of metamorphism of lunar breccias. Earth Planet. Sci. Lett. 16, 250-256.
- Wilshire H.G. and Jackson E.D. (1972) Petrology and stratigraphy of the Fra Mauro Formation at the Apollo 14 site. U.S. Geol. Survey Prof. Paper 785.